FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5







FIG. 6







age)lov

۲.

بَعَ خِرْ سل

亨

٦٨٥ Ü ë

http

Manata Medium-voltage Gapacitors Selection Tool by Voltages Farm File Mey Help

FIG. 10







FIG. 11







**************************************			<u>%</u>		
		t.	llowable		
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		×	Power/Allowable[%]	41.7	24.1 24.1
		<u>.</u>			
			Nominal Capacitance[pF]		
	*	j.	Capa		
			nina		
			ł	470 470	044 074 074
7 ( )		*	Rated Voltage[V]		
		· .	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		
	•	<b>*</b> :	Rated	\$ \$ \$ \$	2000 2000 2000 2000 2000 2000 2000 200
	***	· .	1		, - <b>, ,</b>
			The item which can be used		
	3.57		th Car	JAZE	13N2 13A3 13B3 143
		8	utric	3A471 3A471	DE41X3A471JN2A DE41X3D471JA3B DE41X3D471JB3B DE41X3D471JN7A
1 100			e iten	DEA1X3A471JA2B DEA1X3A471JB2B	DEA1X3A471JN2A DEA1X3D471JA3B DEA1X3D471JB3B DEA1X3D471JB3B
Man	<b>104</b>	t.	€	出出	